

Hull's Joint Strategic Needs Assessment: Analysis of Public Health Outcomes Framework Data – Summary Table

A summary of the data for each of the Public Health Outcomes Framework (PHOF) indicator is provided for Hull (one page per indicator) in another document*.

This document summarises each indicator, within a single line in a table, in relation to the latest values for Hull and England, the ranking of Hull for the latest value of the indicator in relation to 11 other geographical areas which are comparable to Hull (Coventry, Derby City, Leicester City, Middlesbrough, North East Lincolnshire, Plymouth, Salford, Sandwell, Stoke-on-Trent, Sunderland and Wolverhampton), the 'tartan rug' colour for the indicator for Hull, if the indicator has improved or not in Hull over time, and whether the difference in the indicator (national (England v Hull) and local (most v least deprived quintile/fifth of areas of Hull) inequalities gap) has narrowed or widened over time.

The 'tartan rug' colour is given indicating whether the value of the indicator for Hull is statistically significantly higher (pale blue), statistically significantly lower (dark blue) or similar (amber) compared to England. A significant lower indicator might denote a worse situation for some indicators whereas for other indicators a significantly higher indicator might denote a worse situation. Therefore, whether the value of Hull's indicator is 'worse', 'identical' or 'better' than England has also been noted. Although the 'tartan rug' colour may differ for one or two indicators within this report from those published nationally as within this document they are based on overlapping or non-overlapping 95% confidence intervals, and the 'tartan rug' colours might be determined differently for those published nationally. Note further that more recent 'tartan rug' national summaries have also used green and red. If no comparison is possible (e.g. confidence intervals are not available), the cell is white.

The following information, where available, is given for each indicator (the indicator name is in bold if it is a Health and Wellbeing Board measure):

Indicator (latest period / units of measurement)	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
Indicator number and title (latest period / units of measurement)	Latest value of indicator for Hull and England		Ranking (generally out of 12 with 1 as best and 12 th as worst position for Hull)	Hull compared to England: significantly lower no significant difference significantly higher	If indicator for Hull has improved or not over time	If difference (inequalities gap) in indicator between England and Hull has narrowed or widened over time**	If difference (inequalities gap) in indicator between most and least deprived areas of Hull has narrowed or widened over time**

* This other document gives a detailed description of the indicator, and information about the indicator such as data source, time periods of baseline and latest data, and other relevant information about the indicator data. There are also up to five graphs for each indicator depending on how much data is available for the specific indicator. These five graphs are: (1) the latest figures for Hull and its comparator geographical areas; (2) trends over time for Hull; (3) comparison trends over time for Hull relative to England (together with regression lines if appropriate); (4) differences among the five local deprivation quintiles/fifths (based on the Index of Multiple Deprivation 2015) over time; and (5) latest data for the 23 wards in Hull. Six key points summarises Hull's baseline and latest values of the indicator, the change in the inequalities gap between Hull and England, and between the most and least deprived local deprivation quintiles, and differences across the wards. There is also a section which gives the ranking (out of 12 comparators), the 'tartan' rug colour and whether the trends and national and local inequalities gaps have improved over time or not.

** If trends (line) for England and Hull cross, or Hull much better than England initially and only slightly better at end, then the word deteriorated has been used instead (and improved for reverse situation). Similarly, these descriptions have been used in relation to the local inequalities gap.

Summary Table of Hull's Public Health Outcomes Framework Data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
0.1i Male healthy life expectancy (2011-13 / years)	57.4	63.3	10th out of 12 (Poor)	worse	worsened	widened	insufficient data
0.1i Female healthy life expectancy (2011-13 / years)	56.9	63.9	12th out of 12 (Poor)	worse	worsened	widened	insufficient data
0.1ii Male life expectancy at birth (2011-13 / years)	76.6	79.4	10th out of 12 (Poor)	worse	improved	widened	widened
0.1ii Female life expectancy at birth (2011-13 / years)	80.7	83.1	9th out of 12 (Poor)	worse	improved	widened	widened
0.1ii Male life expectancy at 65 (2011-13 / years)	16.8	18.7	12th out of 12 (Poor)	worse	improved	widened	widened
0.1ii Female life expectancy at 65 (2011-13 / years)	19.4	21.1	9th out of 12 (Poor)	worse	improved	widened	widened
0.2iii Slope index of inequality in male life expectancy at birth (2011-13 / years)	12.1	9.1	9th out of 12 (Poor)	worse	worsened	widened	insufficient data
0.2iii Slope index of inequality in female life expectancy at birth (2011-13 / years)	8.2	6.9	7th out of 12 (Medium)	worse	worsened	deteriorated	insufficient data
0.2iv Absolute gap with England in male life expectancy at birth (2011-13 / years)	-2.8	0.0	10th out of 12 (Poor)	worse	worsened	widened	not applicable
0.2iv Absolute gap with England in female life expectancy at birth (2011-13 / years)	-2.4	0.0	9th out of 12 (Poor)	worse	worsened	widened	not applicable
1.01i Children in poverty (all dependent children under 20) (2012 /%)	30.4	18.6	11th out of 12 (Poor)	worse	improved	widened	narrowed
1.01ii Children in poverty (under 16s) (2012 /%)	31.5	19.2	11th out of 12 (Poor)	worse	improved	widened	narrowed
1.02i School readiness - the percentage of children achieving a good level of development at the end of reception (2013/14 /%)	50.8	60.4	10th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
1.02i School readiness - the percentage of children with free school meal status achieving a good level of development at the end of reception (2013/14 /%)	41.2	44.8	8th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
1.02ii School readiness - the percentage of Year 1 pupils achieving the expected level in the phonics screening check (2013/14 /%)	65.9	74.2	11th out of 12 (Poor)	worse	improved	widened	insufficient data
1.02ii School readiness - the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (2013/14 /%)	55.0	61.3	11th out of 12 (Poor)	worse	improved	widened	insufficient data
1.03 Pupil absence (2013/14 /%)	4.93	4.51	8th out of 12 (Medium)	worse	improved	narrowed	narrowed

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
1.04i First time entrants to youth justice system (2014 / per 100,000)	399	409	3rd out of 12 (Good)	better	improved	improved	insufficient data
1.05 Percentage of 16-18 year olds not in education, employment or training (Nov 2014-Jan 2015 (2014) /%)	5.7	4.7	4th out of 12 (Good)	worse	improved	narrowed	insufficient data
1.06i Adults with a learning disability who live in stable and appropriate accommodation (2013/14 /%)	70.9	74.9	10th out of 12 (Poor)	worse	improved	widened	insufficient data
1.06i Adults with a learning disability who live in stable and appropriate accommodation (males) (2013/14 /%)	71.8	74.5	9th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
1.06i Adults with a learning disability who live in stable and appropriate accommodation (females) (2013/14 /%)	68.4	75.4	11th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation (2013/14 /%)	56.2	60.8	8th out of 12 (Medium)	worse	worsened	deteriorated	insufficient data
1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation (males) (2013/14 /%)	50.7	59.4	9th out of 12 (Poor)	worse	worsened	deteriorated	insufficient data
1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation (females) (2013/14 /%)	61.9	62.4	8th out of 12 (Medium)	worse	worsened	insufficient data	insufficient data
1.08i Gap in the employment rate between those with a long-term health condition and the overall employment rate (2013/14 / percentage points)	13.0	8.7	10th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
1.08ii Gap in the employment rate between those with a learning disability and the overall employment rate (2013/14 / percentage points)	unknown	65.0	ranking unknown	missing	insufficient data	insufficient data	insufficient data
1.08iii Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (2013/14 / percentage points)	58.4	64.7	4th out of 12 (Good)	better	worsened	improved	insufficient data
1.08iii Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (males) (2013/14 / percentage points)	65.8	71.1	8th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
1.08iii Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (females) (2013/14 / percentage points)	50.6	58.0	3rd out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
1.09i Sickness absence - the percentage of employees who had at least one day off in the previous week (2010-12 /%)	1.90	2.50	3rd out of 12 (Good)	better	insufficient data	insufficient data	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
1.09ii Sickness absence - the percent of working days lost due to sickness absence (2010-12 /%)	1.44	1.56	4th out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
1.10 Killed and seriously injured casualties on England's roads (2012-14 / per 100,000 population)	47.6	39.3	11th out of 12 (Poor)	worse	worsened	widened	insufficient data
1.11 Domestic abuse (2013/14 / per 1,000 population)	21.0	19.4	4th out of 12 (Good)	worse	improved	narrowed	insufficient data
1.12i Violent crime (including sexual violence) - hospital admissions for violence (2011/12-2013/14 / per 100,000)	83	52	7th out of 12 (Medium)	worse	improved	narrowed	narrowed
1.12ii Violent crime (including sexual violence) - violence offences (2014/15 / per 1,000 population)	20.4	13.5	9th out of 12 (Poor)	worse	worsened	widened	insufficient data
1.12iii Violent crime (including sexual violence) - rate of sexual offences per 1,000 population (2014/15 / per 1,000 population)	2.21	1.40	11th out of 12 (Poor)	worse	worsened	widened	insufficient data
1.13i Re-offending levels - percentage of offenders who re-offend (2012 /%)	32.0	26.0	11th out of 12 (Poor)	worse	worsened	widened	insufficient data
1.13ii Re-offending levels - average number of re-offences per offender (2012 /%)	1.05	0.77	11th out of 12 (Poor)	worse	improved	widened	insufficient data
1.14i Percentage of population affected by noise - number of complaints (2013/14 / per 1,000 population)	13.88	7.37	11th out of 12 (Poor)	worse	worsened	deteriorated	insufficient data
1.14ii The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime (2011 /%)	2.4	5.2	4th out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
1.14iii The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time (2011 /%)	2.8	8.0	2nd out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
1.15i Statutory homelessness - homelessness acceptances (2013/14 / per 1,000 households)	3.05	2.32	9th out of 12 (Poor)	worse	improved	narrowed	insufficient data
1.15ii Statutory homelessness - households in temporary accommodation (2013/14 / per 1,000 households)	0.30	2.59	7th out of 12 (Medium)	better	worsened	deteriorated	insufficient data
1.16 Utilisation of outdoor space for exercise/health reasons (Mar 2013-Feb 2014 /%)	13.0	17.1	8th out of 12 (Medium)	worse	improved	widened	insufficient data
1.17 Fuel poverty (2013 /%)	11.7	10.4	3rd out of 12 (Good)	worse	worsened	deteriorated	insufficient data
1.18i Social isolation - percentage of adult social care users who have as much social contact as they would like (2013/14 /%)	44.5	44.5	8th out of 12 (Medium)	identical	improved	deteriorated	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
1.18ii Social isolation - loneliness and isolation in adult carers (2012/13 /%)	38.2	41.3	7th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
1.19i Older people's perception of community safety - safe in local area during the day (2013/14 /%)	89.1	96.9	1st out of 1 (Too few)	worse	improved	insufficient data	widened
1.19ii Older people's perception of community safety - safe in local area after dark (2013/14 /%)	46.4	62.8	1st out of 1 (Too few)	worse	worsened	insufficient data	narrowed
1.19iii Older people's perception of community safety - safe in own home at night (2013/14 /%)	87.4	93.3	1st out of 1 (Too few)	worse	insufficient data	insufficient data	insufficient data
2.01 Low birth weight of term babies (2014 /%)	2.39	2.86	1st out of 11 (Good)	better	improved	improved	insufficient data
2.02i Breastfeeding - breastfeeding initiation (2014/15 /%)	61.5	74.3	7th out of 11 (Medium)	worse	improved	narrowed	insufficient data
2.02ii Breastfeeding - breastfeeding at 6-8 weeks after birth (2013/14 /%)	32.1	45.8	4th out of 6 (Medium)	worse	improved	narrowed	insufficient data
2.03 Smoking status at time of delivery (2014/15 /%)	20.9	11.4	10th out of 12 (Poor)	worse	improved	narrowed	insufficient data
2.04 Under 18 conceptions (2013 / rate per 1,000)	35.9	24.3	7th out of 12 (Medium)	worse	improved	narrowed	insufficient data
2.04 Under 18 conceptions: conceptions in those aged under 16 (2013 / rate per 1,000)	9.7	4.8	12th out of 12 (Poor)	worse	improved	narrowed	insufficient data
2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds (2013/14 /%)	23.3	22.5	5th out of 12 (Medium)	worse	worsened	narrowed	widened
2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds (2013/14 /%)	34.2	33.5	3rd out of 12 (Good)	worse	improved	narrowed	widened
2.07i Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) (2013/14 / per 10,000)	142	112	6th out of 12 (Medium)	worse	improved	widened	narrowed
2.07i Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years) (2013/14 / per 10,000)	184	141	7th out of 12 (Medium)	worse	worsened	deteriorated	narrowed
2.07ii Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24) (2013/14 / per 10,000)	173	137	10th out of 12 (Poor)	worse	improved	narrowed	narrowed
2.08 Emotional well-being of looked after children (2013/14 /)	13.9	13.9	7th out of 12 (Medium)	identical	improved	narrowed	insufficient data
2.09i Smoking prevalence among 15 year olds - current smokers (2014/15 /%)	8.6	8.2	8th out of 12 (Medium)	worse	same gap	insufficient data	insufficient data
2.09ii Smoking prevalence among 15 year olds - regular smokers (2014/15 /%)	6.6	5.5	9th out of 12 (Poor)	worse	improved	insufficient data	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
2.09iii Smoking prevalence among 15 year olds - occasional smokers (2014/15 /%)	1.9	2.7	5th out of 12 (Medium)	better	improved	insufficient data	insufficient data
2.11i Five or more portions of fruit and vegetables previous day (2014 /%)	19.2	unknown	1st out of 1 (Too few)	missing	worsened	insufficient data	narrowed
2.12 Excess weight in adults (2012-14 /%)	67.0	64.6	6th out of 12 (Medium)	worse	worsened	insufficient data	improved
2.13i Percentage of physically active and inactive adults - active adults (2014 /%)	57.4	57.0	3rd out of 12 (Good)	better	improved	improved	insufficient data
2.13ii Percentage of active and inactive adults - inactive adults (2014 /%)	31.6	27.7	9th out of 12 (Poor)	worse	improved	narrowed	insufficient data
2.14 Smoking prevalence of adults (over 18s) (2014 /%)	26.4	18.0	12th out of 12 (Poor)	worse	improved	narrowed	widened
2.14 Smoking prevalence - routine & manual (2014 /%)	35.0	28.0	10th out of 12 (Poor)	worse	improved	narrowed	insufficient data
2.15i Successful completion of drug treatment - opiate users (2014 /%)	5.38	7.38	8th out of 12 (Medium)	worse	worsened	deteriorated	insufficient data
2.15ii Successful completion of drug treatment - non-opiate users (2014 /%)	26.8	39.2	9th out of 12 (Poor)	worse	worsened	deteriorated	insufficient data
2.16 People entering prison with substance dependence issues who are previously not known to community treatment (2012/13 /%)	24.3	46.9	1st out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
2.17 Recorded diabetes (2013/14 /%)	6.23	6.21	8th out of 12 (Medium)	better	improved	improved	improved
2.18 Alcohol related admissions to hospital (2013/14 / per 100,000)	877	645	8th out of 12 (Medium)	worse	worsened	widened	widened
2.18 Alcohol related admissions to hospital (males) (2013/14 / per 100,000)	1125	835	7th out of 12 (Medium)	worse	worsened	widened	insufficient data
2.18 Alcohol related admissions to hospital (females) (2013/14 / per 100,000)	642	475	8th out of 12 (Medium)	worse	worsened	widened	insufficient data
2.19 Cancer diagnosed at early stage (2013 /%)	46.6	45.7	8th out of 11 (Medium)	worse	insufficient data	insufficient data	insufficient data
2.20i Cancer screening coverage - breast cancer (2015 /%)	69.3	75.4	11th out of 12 (Poor)	worse	worsened	narrowed	insufficient data
2.20ii Cancer screening coverage - cervical cancer (2015 /%)	75.2	73.5	4th out of 12 (Good)	better	worsened	improved	insufficient data
2.20iii Cancer screening coverage - bowel cancer (2015 /%)	54.9	57.1	6th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
2.21iv Newborn bloodspot screening - coverage (2013/14 /%)	92.9	93.5	6th out of 8 (Poor)	worse	insufficient data	insufficient data	insufficient data
2.21v Newborn hearing screening - coverage (2013/14 /%)	99.4	98.5	5th out of 12 (Medium)	better	insufficient data	insufficient data	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
2.21vii Access to non-cancer screening programmes - diabetic retinopathy (2012/13 /%)	73.9	79.1	11th out of 11 (Poor)	worse	worsened	widened	insufficient data
2.21viii Abdominal Aortic Aneurysm Screening (2013/14 /%)	89.0	95.9	11th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
2.22iii Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check (2013/14-2014/15 /%)	45.8	37.9	5th out of 12 (Medium)	better	insufficient data	insufficient data	insufficient data
2.22iv Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check (2013/14-2014/15 /%)	30.3	48.9	11th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
2.22v Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check (2013/14-2014/15 /%)	13.9	18.6	9th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
2.23i Self-reported well-being - people with a low satisfaction score (2013/14 /%)	7.4	5.6	9th out of 12 (Poor)	worse	worsened	widened	insufficient data
2.23ii Self-reported well-being - people with a low worthwhile score (2013/14 /%)	4.7	4.2	1st out of 12 (Good)	worse	worsened	narrowed	insufficient data
2.23iii Self-reported well-being - people with a low happiness score (2013/14 /%)	14.3	9.7	12th out of 12 (Poor)	worse	worsened	widened	insufficient data
2.23iv Self-reported well-being - people with a high anxiety score (2013/14 /%)	21.0	20.0	4th out of 12 (Good)	worse	worsened	deteriorated	insufficient data
2.23v Average Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) score (2010-12 /)	34.7	37.7	1st out of 1 (Too few)	worse	insufficient data	insufficient data	insufficient data
2.24i Injuries due to falls in people aged 65 and over - all people (2013/14 / per 100,000)	2820	2064	10th out of 12 (Poor)	worse	worsened	widened	widened
2.24i Injuries due to falls in people aged 65 and over - males (2013/14 / per 100,000)	2409	1661	11th out of 12 (Poor)	worse	worsened	widened	widened
2.24i Injuries due to falls in people aged 65 and over - females (2013/14 / per 100,000)	3232	2467	9th out of 12 (Poor)	worse	worsened	widened	widened
2.24ii Injuries due to falls in people aged 65 and over - aged 65-79 (2013/14 / per 100,000)	1318	989	10th out of 12 (Poor)	worse	worsened	widened	widened
2.24ii Injuries due to falls in people aged 65 and over - aged 65-79 - males (2013/14 / per 100,000)	1190	799	11th out of 12 (Poor)	worse	worsened	insufficient data	widened
2.24ii Injuries due to falls in people aged 65 and over - aged 65-79 - females (2013/14 / per 100,000)	1446	1180	8th out of 12 (Medium)	worse	worsened	insufficient data	widened

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
2.24iii Injuries due to falls in people aged 65 and over - aged 80+ (2013/14 / per 100,000)	7178	5182	10th out of 12 (Poor)	worse	worsened	widened	widened
2.24iii Injuries due to falls in people aged 65 and over - aged 80+ - males (2013/14 / per 100,000)	5944	4162	10th out of 12 (Poor)	worse	worsened	insufficient data	widened
2.24iii Injuries due to falls in people aged 65 and over - aged 80+ - females (2013/14 / per 100,000)	8413	6201	10th out of 12 (Poor)	worse	worsened	insufficient data	widened
3.01 Fraction of mortality attributable to particulate air pollution (2013 /%)	5.7	5.3	10th out of 12 (Poor)	worse	improved	widened	insufficient data
3.02ii Chlamydia diagnoses (15-24 year olds) - persons (2014 / per 100,000)	2893	2012	2nd out of 12 (Good)	better	improved	improved	insufficient data
3.02ii Chlamydia diagnoses (15-24 year olds) - males (2014 / per 100,000)	2306	1355	1st out of 12 (Good)	better	improved	improved	insufficient data
3.02ii Chlamydia diagnoses (15-24 year olds) - females (2014 / per 100,000)	3506	2664	3rd out of 12 (Good)	better	improved	improved	insufficient data
3.03i Population vaccination coverage - Hepatitis B uptake (1 year old) (2013/14 /%)	unknown	unknown	ranking unknown	missing	insufficient data	insufficient data	insufficient data
3.03i Population vaccination coverage - Hepatitis B uptake (2 year old) (2013/14 /%)	unknown	unknown	ranking unknown	missing	insufficient data	insufficient data	insufficient data
3.03iii Population vaccination coverage - diphtheria, tetanus, pertussis / inactivated polio vaccine / haemophilus influenzae type b vaccine uptake (1 year old) (2013/14 /%)	96.1	94.3	8th out of 12 (Medium)	better	improved	improved	insufficient data
3.03iii Population vaccination coverage - diphtheria, tetanus, pertussis / inactivated polio vaccine / haemophilus influenzae type b uptake (2 year old) (2013/14 /%)	98.1	96.1	5th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03iv Population vaccination coverage - Meningococcal C (MenC) uptake (1 year old) (2012/13 /%)	95.1	93.9	8th out of 12 (Medium)	better	improved	improved	insufficient data
3.03v Population vaccination coverage - pneumococcal conjugate vaccine (PCV) uptake (1 year old) (2013/14 /%)	95.7	94.1	7th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03vi Population vaccination coverage - Haemophilus influenzae type b / Meningitis C (Hib/MenC) booster uptake (2 year old) (2013/14 /%)	94.7	92.5	6th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03vi Population vaccination coverage - Haemophilus influenzae type b / Meningitis C (Hib/MenC) booster uptake (5 year old) (2013/14 /%)	94.6	91.9	6th out of 12 (Medium)	better	improved	improved	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
3.03vii Population vaccination coverage - pneumococcal conjugate vaccine (PCV) booster uptake (2 year old) (2013/14 /%)	94.8	92.4	7th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03viii Population vaccination coverage - measles, mumps and rubella (MMR) uptake - one dose (2 years old) (2013/14 /%)	95.0	92.7	7th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03ix Population vaccination coverage - measles, mumps and rubella (MMR) uptake - one dose (5 years old) (2013/14 /%)	96.7	94.1	6th out of 12 (Medium)	better	improved	deteriorated	insufficient data
3.03x Population vaccination coverage - measles, mumps and rubella (MMR) uptake - two doses (5 years old) (2013/14 /%)	91.8	88.3	7th out of 12 (Medium)	better	improved	improved	insufficient data
3.03xii Population vaccination coverage - Human Papillomavirus types 16 and 18 (HPV) uptake (2013/14 /%)	82.9	86.7	10th out of 12 (Poor)	worse	improved	deteriorated	insufficient data
3.03xiii Population vaccination coverage - pneumococcal polysaccharide vaccine (PPV) uptake (2013/14 /%)	72.9	68.9	2nd out of 12 (Good)	better	improved	improved	insufficient data
3.03xiv Population vaccination coverage - Flu (aged 65+) (2014/15 /%)	72.9	72.7	6th out of 12 (Medium)	better	worsened	deteriorated	insufficient data
3.03xv Population vaccination coverage - Flu (at risk individuals) (2014/15 /%)	49.3	50.3	8th out of 12 (Medium)	worse	worsened	deteriorated	insufficient data
3.04 People presenting with HIV at a late stage of infection (2012-14 /%)	51.3	42.2	5th out of 12 (Medium)	worse	worsened	widened	insufficient data
3.05i Treatment completion for tuberculosis (2012 /%)	91.3	83.6	1st out of 11 (Good)	better	insufficient data	insufficient data	insufficient data
3.05ii Treatment completion for tuberculosis - tuberculosis incidence (2012-14 / per 100,000 population)	7.6	13.5	3rd out of 12 (Good)	better	worsened	deteriorated	insufficient data
3.06 Public sector organisations with a board approved sustainable development management plan (2013/14 /%)	57.1	41.6	2nd out of 12 (Good)	better	worsened	deteriorated	insufficient data
3.07 Comprehensive, agreed inter-agency plans for responding to health protection incidents and emergencies (2014/15 /%)	100.0	95.2	1st out of 12 (Good)	better	insufficient data	insufficient data	insufficient data
4.01 Infant mortality (2011-13 / rate per 1,000 births)	3.61	3.98	2nd out of 12 (Good)	better	improved	improved	insufficient data
4.02 Tooth decay in children aged 5 (2011/12 / teeth)	1.54	0.94	9th out of 12 (Poor)	worse	insufficient data	insufficient data	insufficient data
4.03 Mortality rate from causes considered preventable (2012-14 / per 100,000 population)	262	183	10th out of 12 (Poor)	worse	improved	widened	narrowed

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
4.03 Mortality rate from causes considered preventable (males) (2012-14 / per 100,000 population)	316	230	9th out of 12 (Poor)	worse	improved	narrowed	narrowed
4.03 Mortality rate from causes considered preventable (females) (2012/14 / per 100,000 population)	209	138	11th out of 12 (Poor)	worse	improved	widened	narrowed
4.04i Under 75 mortality rate from all cardiovascular diseases (2012-14 / per 100,000 population)	106	76	9th out of 12 (Poor)	worse	improved	narrowed	narrowed
4.04i Under 75 mortality rate from all cardiovascular diseases (males) (2012-14 / per 100,000 population)	150	106	10th out of 12 (Poor)	worse	improved	narrowed	widened
4.04i Under 75 mortality rate from all cardiovascular diseases (females) (2012-14 / per 100,000 population)	63.3	46.9	7th out of 12 (Medium)	worse	improved	narrowed	narrowed
4.04ii Under 75 mortality rate from cardiovascular diseases considered preventable (2012-14 / per 100,000)	70.7	49.2	10th out of 12 (Poor)	worse	improved	narrowed	narrowed
4.04ii Under 75 mortality rate from cardiovascular diseases considered preventable (males) (2012-14 / per 100,000)	103	74	9th out of 12 (Poor)	worse	improved	narrowed	widened
4.04ii Under 75 mortality rate from cardiovascular diseases considered preventable (females) (2012-14 / per 100,000)	39.6	25.6	8th out of 12 (Medium)	worse	improved	narrowed	narrowed
4.05i Under 75 mortality rate from cancer (2012-14 / per 100,000)	187	142	11th out of 12 (Poor)	worse	improved	widened	widened
4.05i Under 75 mortality rate from cancer (males) (2012-14 / per 100,000)	209	158	11th out of 12 (Poor)	worse	improved	narrowed	widened
4.05i Under 75 mortality rate from cancer (females) (2012-14 / per 100,000)	167	127	12th out of 12 (Poor)	worse	worsened	widened	widened
4.05ii Under 75 mortality rate from cancer considered preventable (2012-14 / per 100,000)	118	83	11th out of 12 (Poor)	worse	improved	widened	widened
4.05ii Under 75 mortality rate from cancer considered preventable (2012-14 / per 100,000)	129	90	11th out of 12 (Poor)	worse	improved	narrowed	widened
4.05ii Under 75 mortality rate from cancer considered preventable (females) (2012-14 / per 100,000)	109	76	12th out of 12 (Poor)	worse	worsened	widened	widened
4.06i Under 75 mortality rate from liver disease (2012-14 / per 100,000)	23.3	17.8	5th out of 12 (Medium)	worse	worsened	deteriorated	narrowed
4.06i Under 75 mortality rate from liver disease (males) (2012-14 / per 100,000)	34.6	23.4	7th out of 12 (Medium)	worse	worsened	widened	narrowed
4.06i Under 75 mortality rate from liver disease (females) (2012-14 / per 100,000)	12.0	12.4	2nd out of 12 (Good)	better	worsened	improved	narrowed
4.06ii Under 75 mortality rate from liver disease considered preventable (2012-14 / per 100,000)	19.9	15.7	4th out of 12 (Good)	worse	worsened	deteriorated	narrowed

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
4.06ii Under 75 mortality rate from liver disease considered preventable (males) (2012-14 / per 100,000)	29.8	21.0	6th out of 12 (Medium)	worse	worsened	widened	narrowed
4.06ii Under 75 mortality rate from liver disease considered preventable (females) (2012-14 / per 100,000)	10.0	10.6	2nd out of 11 (Good)	better	worsened	improved	narrowed
4.07i Under 75 mortality rate from respiratory disease (2012-14 / per 100,000)	61.2	32.6	12th out of 12 (Poor)	worse	improved	widened	widened
4.07i Under 75 mortality rate from respiratory disease (males) (2012-14 / per 100,000)	65.7	38.3	12th out of 12 (Poor)	worse	improved	widened	narrowed
4.07i Under 75 mortality rate from respiratory disease (females) (2012-14 / per 100,000)	57.0	27.4	12th out of 12 (Poor)	worse	worsened	widened	widened
4.07ii Under 75 mortality rate from respiratory disease considered preventable (2012-14 / per 100,000)	40.5	17.8	12th out of 12 (Poor)	worse	worsened	widened	widened
4.07ii Under 75 mortality rate from respiratory disease considered preventable (males) (2012-14 / per 100,000)	39.2	20.1	12th out of 12 (Poor)	worse	worsened	widened	widened
4.07ii Under 75 mortality rate from respiratory disease considered preventable (females) (2012-14 / per 100,000)	41.7	15.7	12th out of 12 (Poor)	worse	worsened	widened	widened
4.08 Mortality from communicable diseases (2012-14 / per 100,000)	73.5	63.2	8th out of 12 (Medium)	worse	improved	narrowed	narrowed
4.08 Mortality from communicable diseases (males) (2012-14 / per 100,000)	83.4	74.0	6th out of 12 (Medium)	worse	improved	narrowed	narrowed
4.08 Mortality from communicable diseases (females) (2012-14 / per 100,000)	66.8	56.4	8th out of 12 (Medium)	worse	improved	narrowed	narrowed
4.09 Excess under 75 mortality rate in adults with serious mental illness (2012/13 /)	341	347	3rd out of 12 (Good)	better	improved	improved	insufficient data
4.10 Suicide rate (2012-14 / per 100,000)	11.2	8.9	9th out of 12 (Poor)	worse	worsened	widened	narrowed
4.10 Suicide rate (males) (2012-14 / per 100,000)	17.5	14.1	9th out of 12 (Poor)	worse	worsened	widened	narrowed
4.11 Emergency readmissions within 30 days of discharge from hospital (persons) (2011/12 /%)	12.1	11.8	5th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
4.11 Emergency readmissions within 30 days of discharge from hospital (males) (2011/12 /%)	12.3	12.1	4th out of 12 (Good)	worse	insufficient data	insufficient data	insufficient data
4.11 Emergency readmissions within 30 days of discharge from hospital (females) (2011/12 /%)	11.9	11.5	8th out of 12 (Medium)	worse	insufficient data	insufficient data	insufficient data
4.12i Preventable sight loss - age related macular degeneration (AMD) (2013/14 / per 100,000 population)	112	119	7th out of 12 (Medium)	better	improved	improved	insufficient data

Indicator (latest period / units of measurement) TEXT IS IN BOLD IF THE INDICATOR IS A HEALTH AND WELLBEING BOARD MEASURE	Hull latest value	England latest value	Comparator ranking	Tartan rug colour	Hull trends	National inequalities gap	Local inequalities gap
4.12ii Preventable sight loss - glaucoma (2013/14 / per 100,000 population)	18.9	12.9	10th out of 11 (Poor)	worse	improved	narrowed	insufficient data
4.12iii Preventable sight loss - diabetic eye disease (2013/14 / per 100,000 population)	5.93	3.39	8th out of 9 (Poor)	worse	improved	narrowed	insufficient data
4.12iv Preventable sight loss - sight loss certifications (2013/14 / per 100,000 population)	47.0	42.5	9th out of 12 (Poor)	worse	improved	narrowed	insufficient data
4.14i Hip fractures in people aged 65 and over (2013/14 / per 100,000)	646	580	7th out of 12 (Medium)	worse	improved	widened	narrowed
4.14i Hip fractures in people aged 65 and over - males (2013/14 / per 100,000)	475	423	8th out of 12 (Medium)	worse	worsened	insufficient data	narrowed
4.14i Hip fractures in people aged 65 and over - females (2013/14 / per 100,000)	818	737	5th out of 12 (Medium)	worse	worsened	insufficient data	narrowed
4.14ii Hip fractures in people aged 65 and over - aged 65-79 (2013/14 / per 100,000)	307	240	9th out of 12 (Poor)	worse	worsened	widened	narrowed
4.14ii Hip fractures in people aged 65 and over - males aged 65-79 (2013/14 / per 100,000)	224	164	11th out of 12 (Poor)	worse	worsened	insufficient data	improved
4.14ii Hip fractures in people aged 65 and over - females aged 65-79 (2013/14 / per 100,000)	389	316	6th out of 12 (Medium)	worse	improved	insufficient data	narrowed
4.14iii Hip fractures in people aged 65 and over - aged 80+ (2013/14 / per 100,000)	1631	1566	7th out of 12 (Medium)	worse	improved	deteriorated	narrowed
4.14iii Hip fractures in people aged 65 and over - males aged 80+ (2013/14 / per 100,000)	1201	1176	7th out of 12 (Medium)	worse	worsened	insufficient data	widened
4.14iii Hip fractures in people aged 65 and over - females aged 80+ (2013/14 / per 100,000)	2060	1956	6th out of 12 (Medium)	worse	improved	insufficient data	widened
4.15i Excess Winter Deaths Index - all ages (single year) (Aug 2012-Jul 2013 /)	11.3	20.1	2nd out of 12 (Good)	better	improved	improved	improved
4.15ii Excess Winter Deaths Index - aged 85+ years (single year) (Aug 2012-Jul 2013 /)	30.5	28.2	6th out of 12 (Medium)	worse	improved	narrowed	deteriorated
4.15iii Excess Winter Deaths Index - all ages (three year average) (Aug 2010-Jul 2013 /)	15.2	17.4	3rd out of 12 (Good)	better	improved	improved	improved
4.15iv Excess Winter Deaths Index - aged 85+ years (three year average) (Aug 2010-Jul 2013 /)	21.1	24.1	4th out of 12 (Good)	better	improved	improved	improved
4.16 Estimated diagnosis rate for people with dementia (2014/15 /%)	63.1	59.0	1st out of 1 (Too few)	better	improved	improved	deteriorated